

Appendix 1: Study references of the studies included in the meta-analysis

1. Abo-Elyousr KAM, Ibrahim YE and Balabel NM (2012) Induction of Disease Defensive Enzymes in Response to Treatment with acibenzolar-S-methyl (ASM) and *Pseudomonas fluorescens* Pf2 and Inoculation with *Ralstonia solanacearum* race 3, biovar 2 (phylotype II). J Phytopathol 160:382–389.
2. Algam SAE, Xie G, Li B, Yu S, Su T and Larsen J (2010) Effects of *Paenibacillus* strains and chitosan on plant growth promotion and control of Ralstonia wilt of tomato. Journal of Plant Pathology, **92** (3), 593-600
3. Aliye N, Fininsa C, Hiskias Y (2008) Evaluation of rhizosphere bacterial antagonist for their potential to bioprotect potato (*Solanum tuberosum*) against bacterial wilt (*Ralstonia solanacearum*). Biological Control 47, 282–288.
4. Almoneafy AA, Xie GL, Tian WX, Xu LH, Zhang GQ, Ibrahim M (2012) Characterization and evaluation of *Bacillus* isolates for their potential plant growth and biocontrol activities against tomato bacterial wilt. African Journal of Biotechnology, 11(28): 7193-7201.
5. Almoeafy et al. (2014) Tomato plant growth promotion and anti-bacterial related-mechanisms of four rhizobacterial *Bacillus* strains against *Ralstonia solanacearum*. Symbiosis 63:59–70
6. Amaresan N, Jayakumar V, Krishna Kumar, Thajuddin N (2012) Endophytic bacteria from tomato and chilli, their diversity and antagonistic potential against Ralstonia solanacearum, Archives Of Phytopathology And Plant Protection, 45:3, 344-355
7. Anith KN, Momol MT, Kloepper JW, Marois JJ, Olson SM, and Jones JB (2004) Efficacy of plant growth promoting rhizobacteria, acibenzolar-s-methyl, and soil amendment for integrated management of bacterial wilt on tomato.
8. Boukaew S et al. (2011) Evaluation of Streptomyces spp. for biological control of *Sclerotium* root and stem rot and *Ralstonia* wilt of chili pepper. BioControl (2011) 56:365–374
9. Chakravarty G and M. C. Kalita (2012) Biocontrol potential of *Pseudomonas fluorescens* against bacterial wilt of Brinjal and its possible plant growth promoting effects. Annals of Biological Research, 3 (11): 5083-5094
10. Chen et al. (2014) Isolation of *Bacillus amyloliquefaciens* S20 and its application in control of eggplant bacterial wilt. Journal of Environmental Management, 137, 12-127.

11. Ding et al. (2013) Evaluation of rhizosphere bacteria and derived bio-organic fertilizers potential biocontrol agents against bacterial wilt (*Ralstonia solanacearum*) of tomato. *Plant Soil*, 366, 453-466.
12. Feng H, Li Y, Liu Q (2013) Endophytic bacterial communities in tomato plants with differential resistance to *Ralstonia solanacearum*. *African Journal of Microbiological Research* 7(15): 1311-1318.
13. Guo et al. (2004) Biocontrol of tomato wilt by plant growth promoting rhizobacteria. *Biological Control*, 29, 66-72.
14. Hu HQ, Li XS, He H (2010) Characterization of an antimicrobial material from a newly isolated *Bacillus amyloliquefaciens* from mangrove for biocontrol of Capsicum bacterial wilt. *Biological Control*, 54, 359-365.
15. Huang J, Wei Z, Tan S, Mei X, Yin S, Shen Q, Xu Y (2013) The rhizosphere soil of diseased tomato plants as a source for novel microorganisms to control bacterial wilt. *Applied Soil Ecology*, 72, 79-84.
16. Ji X, Lu G, Gai Y, Zheng C, Mu Z (2008) Biological control against bacterial wilt and colonization of mulberry by an endophytic *Bacillus subtilis* strain. *FEMS Microbiol Ecol* 65, 565–573.
17. Kuarabachew H, Assefa F and Hiskias Y (2007) Evaluation Of Ethiopian Isolates Of *Pseudomonas fluorescens* As Biocontrol Agent Against Potato Bacterial Wilt Caused By *Ralstonia (Pseudomonas) Solanacearum*. *Acta agriculturae Slovenica*, 902, 125–135.
18. Kurabachew H, Wydra K (2013) Characterization of plant growth promoting rhizobacteria and their potential as bioprotectant against tomato bacterial wilt caused by *Ralstonia solanacearum*. *Biological Control* 42, 336–344
19. Lemessa F, Zeller W (2007) Screening rhizobacteria for biological control of *Ralstonia solanacearum* in Ethiopia. *Biological Control* 42, 336–344
20. Li SM, Hua GG, HX Liu, Guo JH (2008) Analysis of defense enzymes induced by antagonistic bacterium *Bacillus subtilis* AR12 towards *Ralstonia solanacearum* in tomato. *Annals of Microbiology*, **58** (4) 573-578.
21. Liu et al. (2014) Biological control of Ralstonia wilt, Phytophthora blight, Meloidogyne root-knot on bell pepper by the combination of *Bacillus subtilis* AR12, *Bacillus subtilis* SM21 and *Chryseobacterium* sp. R89. *Eur J Plant Pathol* (2014) 139:107–116

22. Maji S, Chakrabartty PK (2012) Biocontrol of bacterial wilt of tomato caused by *Ralstonia solanacearum* by isolates of plant growth promoting rhizobacteria. Australian Journal of Crop Sciences, 8(2): 208-214.
23. Maketon M, Jirasak Apisitsantikul, Chatchai Siriraweekul (2008) Greenhouse Evaluation Of *Bacillus Subtilis* Ap-01 And *Trichoderma Harzianum* Ap-001 In Controlling Tobacco Diseases, Brazilian Journal of Microbiology 39:296-300
24. Makhlof AH and. Hamedo HA (2013) Suppression of Bacterial Wilt Disease of Tomato Plants Using Some Bacterial Strains. Life Science Journal, 10(3):1732-1741.
25. Narasimha Murthy K, Mailini M, Savitha J, C. Srinivas (2012) Lactic acid bacteria (LAB) as plant growth promoting bacteria (PGPB) for the control of wilt of tomato caused by *Ralstonia solanacearum*. Pest Management in Horticultural Ecosystems, 18 (1):60-65.
26. Narasimha Murthy K, Fazilath Uzma, Chitrashree, C. Srinivas (2014) Induction of Systemic Resistance in Tomato against *Ralstonia solanacearum* by *Pseudomonas fluorescens*. American Journal of Plant Sciences, 5, 1799-1811.
27. Nawangsih AA, Aditya R, Tjahjono B, Negishi H and Suyama K (2012) Bioefficacy and characterization of plant growth promoting bacteria to control the bacterial wilt disease of peanut in Indonesia. J. ISSAAS 18 (1): 1855-192.
28. Nguyen MT and Ranamukhaarachchi SL (2010) Soil-borne antagonists for biological control of bacterial wilt disease caused by *Ralstonia solanacearum* in tomato and pepper. Journal of Plant Pathology 92(2): 395-406
29. Ramesh R, Phadke GS (2012) Rhizosphere and endophytic bacteria for the suppression of eggplant wilt caused by *Ralstonia solanacearum*. Crop Protection 37: 35-41.
30. Rosyidah A, Tatik Wardiyati, Abdul Latief Abadi, M. Dawam Maghfoer, Luqman Qurata Aini (2014) Induced resistance of Potato (*Solanum tuberosum* L.) toward *Ralstonia solanacearum* disease with combination of several bio-control microbes. Journal of Biology, Agriculture and Healthcare, 4(2): 90-98.
31. Sarkar S and Chaudhuri S (2013) Evaluation of the biocontrol potential of *Bacillus subtilis*, *Pseudomonas aeruginosa* and *Trichoderma viride* against bacterial wilt of tomato. Asian Journal of Biological and Life Sciences, 2(2):146-151.
32. Seleim MA, Saeed FA, Abd-Alal Moneem KMH, Abo-Elyousr KA (2011) Biological control of bacterial wilt of tomato by plant growth promoting rhizobacteria. Plant

- pathology Journal, 10(4): 146-153.
33. Seleim MA, Abo-Elyousr KA, Abd-Alal, Mohamed and Hanan A Al-Marzoky (2014) Peroxidase and Polyphenoloxidase Activities as Biochemical Markers for Biocontrol Efficacy in the Control of Tomato Bacterial Wilt. *J Plant Physiol Pathol* 2:1
 34. Sharma JP and Kumar S (2009) Management of *Ralstonia* wilt of tomato through microbes, plant extract and combination of cake and chemicals. *Indian Phytopath.* 62 (4) : 417-423
 35. Singh N, Siddiqui ZA (2015) Effects of *Bacillus subtilis*, *Pseudomonas fluorescens* and *Aspergillus awamori* on the wilt-leaf spot disease complex of tomato. *Phytoparasitica* 43: 61-75.
 36. Tahat MM, Sijam K, Othman R (2012) The potential of endomycorrhizal fungi in controlling bacterial wilt *Ralstonia solanacearum* under glass house conditions. *African Journal of Biotechnology*, 11(67): 13085-13094.
 37. Takenaka, S., Sekiguchi, H., Nakaho, K., Tojo, M., Masunaka, A., and Takahashi, H. 2008. Colonization of *Pythium oligandrum* in the tomato rhizosphere for biological control of bacterial wilt disease analyzed by real-time PCR and confocal laser-scanning microscopy. *Phytopathology* 98:187-195
 38. Tan et al. 2011
 39. Tan S, Jiang Y, Song S, Huang J, Ling N, Xu Y, Shen Q (2013) Two *Bacillus amyloliquefaciens* strains isolated using the competitive tomato root enrichment method and their effects on suppressing *Ralstonia solanacearum* and promoting tomato plant growth. *Crop Protection* 43: 134-140
 40. Vanitha SC, Niranjana SR, Mortensen CN, Umesha S (2009) Bacterial wilt of tomato in Karnataka and its management by *Pseudomonas fluorescens*. *BioControl* 54:685–695.
 41. Wei Z, Huang J, Tan S, Mei X, Shen Q, Xu Y (2013) The congeneric strain *Ralstonia pickettii* QL-A6 of *Ralstonia solanacearum* as an effective biocontrol agent for bacterial wilt of tomato. *Biological Control* 65: 278–285.
 42. Wei Z, Yang X, Yin S, Shen Q, Ran W, Xu Y (2011) Efficacy of *Bacillus*-fortified organic fertiliser in controlling bacterial wilt of tomato in the field. *Applied Soil Ecology* 48: 152–159
 43. Xue QY, Chen Y, Li SM, Chen LF, Guo DW, Guo JH (2009) Evaluation of the strains of *Acinetobacter* and *Enterobacter* as potential biocontrol agents against *Ralstonia*

- wilt of tomato. *Biological Control* 48: 252–258.
44. Xue QY, Ding GC, Li SM, Yang Y, Lan GZ & Guo JH, Smalla K (2013) Rhizocompetence and antagonistic activity towards genetically diverse *Ralstonia solanacearum* strains an improved strategy for selecting biocontrol agents. *Appl Microbiol Biotechnol* 97:1361–1371
 45. Yamamoto S, Shiraishi S, Kawagoe Y, Mochizuki M, Suzuki S (2014) Impact of *Bacillus amyloliquefaciens* S13-3 on control of bacterial wilt and powdery mildew in tomato. *Pest Manag Sci* : DOI 10.1002/ps.3837
 46. Yang W, Quan Xu, Hong-Xia Liu, Yun-Peng Wang, Yong-Ming Wang, He-Tong Yang, Jian-Hua Guo (2012) Evaluation of biological control agents against *Ralstonia* wilt on ginger. *Biological Control* 62: 144–151.
 47. Yim W, Sundaram Seshadri, Kiyoon Kim, Gillseung Lee, Tongmin Sa (2013) Ethylene emission and PR protein synthesis in ACC deaminase producing *Methylobacterium* spp. inoculated tomato plants (*Lycopersicon esculentum* Mill.) challenged with *Ralstonia solanacearum* under greenhouse conditions. *Plant Physiology and Biochemistry* 67: 95-104.
 48. Yuan S, Lili Wang, Kai Wu, Junxiong Shi, Maosheng Wang, Xingming Yang, Qirong Shen, Biao Shen (2014) Evaluation of *Bacillus*-fortified organic fertilizer for controlling tobacco bacterial wilt in greenhouse and field experiments. *Applied Soil Ecology* 75: 86– 94.
 49. Zhou DM, Kui-Ping Wang, Hong-Xia Liu, Chun Gu & Jian-Hua Guo (2014) Field evaluation of different application methods of the mixture of *Bacillus cereus* strain AR156 and *Bacillus subtilis* strain SM21 on pepper growth and disease resistance, *Biocontrol Science and Technology*, 24:12, 1451-1468
 50. Zhou T, Da Chen, Chunyu Li, Qian Sun, Lingzhi Li, Fang Liu, Qirong Shen, Biao Shen (2012) Isolation and characterization of *Pseudomonas brassicacearum* J12 as an antagonist against *Ralstonia solanacearum* and identification of its antimicrobial components. *Microbiological Research* 167: 388–394
 51. Zhou TT, Li CY, Chen D, Wu K, Shen QR, Shen B (2014a) *phlF*_ mutant of *Pseudomonas fluorescens* J2 improved 2,4-DAPG biosynthesis and biocontrol efficacy against tomato bacterial wilt. *Biological Control* 78: 1–8.